

ECS Configuration Change Request

Page 1 of

Page(s)

1. Originator Gary Gavigan	2. Log Date: 4/2/02	3. CCR #: 02-0274	4. Rev: —	5. Tel: Ext.4113	6. Rm #: 2003F	7. Dept. M&O
8. CCR Title: Move PC from EDF stock to the SMC at GSFC to install Remedy Administration tool on a NT platform						
9. Originator Signature/Date Gary Gavigan /s/ 4/1/02			10. Class II	11. Type: CCR	12. Need Date: 4/12/02	
13. Office Manager Signature/Date Pamela Johnson /s/ 4/2/02			14. Category of Change: Other		15. Priority: (If "Emergency" fill in Block 27). Routine	
16. Documentation/Drawings Impacted: 840-TP-002-002			17. Schedule Impact: N/A		18. CI(s) Affected: m0mop09	
19. Release Affected by this Change: N/A		20. Date due to Customer: N/A		21. Estimated Cost: None - Under 100K		
22. Source Reference: <input type="checkbox"/> NCR (attach) <input type="checkbox"/> Action Item <input type="checkbox"/> Tech Ref. <input type="checkbox"/> GSFC <input checked="" type="checkbox"/> Other:						
23. Problem: (use additional Sheets if necessary) A PC platform is required to support the new version of Remedy that has a Administration Tool that runs on an NT PC.						
24. Proposed Solution: (use additional sheets if necessary) Move PC from EDF stock to the SMC at GSFC to install Remedy Amdministration tool on a NT platform.						
25. Alternate Solution: (use additional sheets if necessary) None.						
26. Consequences if Change(s) are not approved: (use additional sheets if necessary) The new version of Remedy would not be able to be customized for GUI's and Schemas because the Administration tool runs on an NT PC platform.						
27. Justification for Emergency (If Block 15 is "Emergency"): N/A						
28. Site(s) Affected: <input type="checkbox"/> EDF <input type="checkbox"/> PVC <input type="checkbox"/> VATC <input type="checkbox"/> EDC <input type="checkbox"/> GSFC <input type="checkbox"/> LaRC <input type="checkbox"/> NSIDC <input checked="" type="checkbox"/> SMC <input type="checkbox"/> AK <input type="checkbox"/> JPL <input type="checkbox"/> EOC <input type="checkbox"/> IDG Test Cell <input type="checkbox"/> Other						
29. Board Comments:				30. Work Assigned To:	31. CCR Closed Date:	
32. EDF/SCDV CCB Chair (Sign/Date):			Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS			
33. M&O CCB Chair (Sign/Date): Gary Gavigan /s/ 04/09/02			Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ECS			
34. ECS CCB Chair (Sign/Date):			Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB Fwd/ESDIS			

ADDITIONAL SHEET

CCR #: 02-0274 **Rev:** — **Originator:**

Telephone: **Office:**

Title of Change: Move PC from EDF stock to the SMC at GSFC to install Remedy Amdministration tool on a NT platform

The EIN's for this PC are as follows:

System: 10018

Monitor: 3012

Keyboard: 10020

Mouse: 8087

The IP Assignment will be : 10.1.198.46

CM01AJA00 Revised 10/15/01

ECS